


AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of the Claims

1. (Currently Amended) A compound of formula (I):



wherein:

R^1 is alkyl;

R^2 and R^3 are independently H, alkyl, hydroxy, fluoro, or cyanoalkyl or one of R^2 and R^3 is $=NOR^7$ and the other is absent, or one of R^2 and R^3 is $=CH_2$ and the other is absent, with the provisos that both R^2 and R^3 are not H; when one of R^2 and R^3 is fluoro, the other is not hydrogen or hydroxy; and when one of R^2 and R^3 is hydroxy, the other is not fluoro, hydrogen, or hydroxy;

R^6 is selected from the group consisting of H, alkyl, hydroxyalkyl, -C(O)O-alkylene-cycloalkyl, -C(O)O-alkylene-substituted cycloalkyl, -C(O)O-alkyl, -C(O)O-substituted alkyl, -C(O)O-aryl, -C(O)O-substituted aryl, -C(O)O-heteroaryl, -C(O)O-substituted heteroaryl, $-[C(O)O]_p$ -alkylene-heterocycle, $-[C(O)O]_p$ -alkylene-substituted heterocycle, wherein p is 0 or 1;

R^7 is H or alkyl;


R^9 , which can be singly or multiply substituted in the ring on the same or different carbons, is independently selected from the group consisting of alkyl, substituted alkyl, alkoxy, substituted alkoxy, alkoxyalkoxy, cycloalkyl, substituted cycloalkyl, ~~substituted oxygen, substituted nitrogen, -OR^d, -NR^eR^f~~, halogen, phenyl, substituted phenyl, $-(CH_2)_n-OH$, $-(CH_2)_n-NR^4R^5$, $-alkylene-R^a$ where R^a is selected from monofluorophenyl and monochlorophenyl, and branched chain isomers thereof thereof, wherein n is an integer of from 1 to 8 inclusive and R^4 and R^5 are H or alkyl, wherein R^d is selected from the group consisting of alkyl, haloalkyl, alkenyl, cycloalkyl, substituted cycloalkyl, aryl, substituted aryl, heteroaryl, and substituted heteroaryl, and wherein R^e and R^f are independently selected from the group consisting of H, alkyl, haloalkyl, alkenyl, cycloalkyl, substituted cycloalkyl, aryl, substituted aryl, heteroaryl, and substituted heteroaryl; and

m is 0, 1, 2 or 3; [[and]]

~~prodrugs, tautomers or~~ or a prodrug, tautomer, or a pharmaceutically acceptable salts salt thereof;

with the proviso that the compound of formula I has a minimum inhibition concentration of 32 $\mu g/mL$ or less against at least one of the organisms selected from the group consisting of Streptococcus pneumoniae, Staphylococcus aureus, Staphylococcus epidermidis, Enterococcus faecalis, Enterococcus faecium, Haemophilus influenzae, Moraxella catarrhalis, Escherichia coli, Bacteroides fragilis, Bacteroides thetaiotaomicron, and Clostridium difficile.

2. (Currently Amended) A compound of formula (II)



wherein:

R^1 is alkyl;

R^2 and R^3 are independently H, alkyl, or cyanoalkyl, with the proviso that both R^2 and R^3 are not H;

R^6 is H, alkyl, or hydroxyalkyl;


R^9 , which can be singly or multiply substituted in the ring on the same or different carbons, is independently selected from the group consisting of alkyl, substituted alkyl, alkoxyalkoxy, cycloalkyl, substituted cycloalkyl, ~~substituted oxygen,~~ ~~substituted nitrogen,~~ $-OR^d$, $-NR^eR^f$, halogen, phenyl, substituted phenyl, $-(CH_2)_n-OH$, $-(CH_2)_n-NR^4R^5$, $-alkylene-R^a$ where R^a is selected from monofluorophenyl and monochlorophenyl, and branched chain isomers ~~thereof~~ thereof, wherein n is an integer of from 1 to 8 inclusive and R^4 and R^5 are H or alkyl, wherein R^d is selected from the group consisting of alkyl, haloalkyl, alkenyl, cycloalkyl, substituted cycloalkyl, aryl, substituted aryl, heteroaryl, and substituted heteroaryl, and wherein R^e and R^f are independently selected from the group consisting of H, alkyl, haloalkyl, alkenyl, cycloalkyl, substituted cycloalkyl, aryl, substituted aryl, heteroaryl, and substituted heteroaryl; and

m is 1 or 2; [[and]]

~~prodrugs or~~ or a prodrug or a pharmaceutically acceptable salts salt thereof;

with the proviso that the compound of formula II has a minimum inhibition concentration of 32 µg/mL or less against at least one of the organisms selected from the group consisting of *Streptococcus pneumoniae*, *Staphylococcus aureus*, *Staphylococcus epidermidis*, *Enterococcus faecalis*, *Enterococcus faecium*, *Haemophilus influenzae*, *Moraxella catarrhalis*, *Escherichia coli*, *Bacteroides fragilis*, *Bacteroides thetaiotaomicron*, and *Clostridium difficile*.

3. (Currently Amended) A compound of formula (III):



(III)

wherein:

R¹ is alkyl;

R² and R³ are fluoro;

R⁶ is H, alkyl, or hydroxyalkyl;

R⁹, which can be singly or multiply substituted in the ring on the same or different carbons, is independently selected from the group consisting of alkyl, substituted alkyl, alkoxyalkoxy, cycloalkyl, substituted cycloalkyl, ~~substituted oxygen,~~ ~~substituted nitrogen,~~ -OR^d, -NR^eR^f, halogen, phenyl, substituted phenyl, -(CH₂)_n-OH, -(CH₂)_n-NR⁴R⁵, -alkylene-R^a where R^a is selected from monofluorophenyl and monochlorophenyl, and branched chain isomers ~~thereof thereof~~, wherein n is an integer of from 1 to 8 inclusive


and R^4 and R^5 are H or alkyl, wherein R^d is selected from the group consisting of alkyl, haloalkyl, alkenyl, cycloalkyl, substituted cycloalkyl, aryl, substituted aryl, heteroaryl, and substituted heteroaryl, and wherein R^e and R^f are independently selected from the group consisting of H, alkyl, haloalkyl, alkenyl, cycloalkyl, substituted cycloalkyl, aryl, substituted aryl, heteroaryl, and substituted heteroaryl; and

m is 1 or 2; [[and]]

~~prodrugs or~~ or a prodrug or a pharmaceutically acceptable salts salt thereof,

with the proviso that the compound of formula III has a minimum inhibition concentration of 32 $\mu\text{g/mL}$ or less against at least one of the organisms selected from the group consisting of *Streptococcus pneumoniae*, *Staphylococcus aureus*, *Staphylococcus epidermidis*, *Enterococcus faecalis*, *Enterococcus faecium*, *Haemophilus influenzae*, *Moraxella catarrhalis*, *Escherichia coli*, *Bacteroides fragilis*, *Bacteroides thetaiotaomicron*, and *Clostridium difficile*.

4. (Currently Amended) A compound of formula (V):




wherein:

R^1 is alkyl;

R^2 and R^3 are independently H, alkyl, hydroxy, fluoro, or cyanoalkyl or one of R^2 and R^3 is $=\text{NOR}^7$ and the other is absent, or one of R^2 and R^3 is $=\text{CH}_2$ and the other is absent, with the provisos that both R^2 and R^3 are not H; when one of R^2 and R^3 is fluoro, the other is not hydrogen or hydroxy; and when one of R^2 and R^3 is hydroxy, the other is not fluoro, hydrogen, or hydroxy;

R^6 is selected from the group consisting of -C(O)O-alkylene-cycloalkyl, -C(O)O-alkylene-substituted cycloalkyl, -C(O)O-alkyl, -C(O)O-substituted alkyl, -C(O)O-aryl, -C(O)O-substituted aryl, -C(O)O-heteroaryl, -C(O)O-substituted heteroaryl, $-[C(O)O]_p$ -alkylene-heterocycle, $-[C(O)O]_p$ -alkylene-substituted heterocycle, wherein p is 0 or 1 with the proviso that -C(O)O-substituted alkyl does not include the following:



R^7 is H or alkyl;

R^9 , which can be singly or multiply substituted in the ring on the same or different carbons, is independently selected from the group consisting of alkyl, substituted alkyl, alkoxyalkoxy, cycloalkyl, substituted cycloalkyl, alkoxyalkoxy, ~~substituted oxygen, substituted nitrogen, -OR^d, -NR^eR^f~~, halogen, phenyl, substituted phenyl, $-(CH_2)_n-OH$, $-(CH_2)_n-NR^4R^5$, -alkylene- R^a where R^a is selected from monofluorophenyl and monochlorophenyl, and branched chain isomers thereof thereof, wherein n is an integer of from 1 to 8 inclusive and R^4 and R^5 are H or alkyl, wherein R^d is selected from the group consisting of alkyl, haloalkyl, alkenyl, cycloalkyl, substituted cycloalkyl, aryl, substituted aryl, heteroaryl, and substituted heteroaryl, and wherein R^e and R^f are independently selected from the group consisting of H, alkyl, haloalkyl, alkenyl, cycloalkyl, substituted cycloalkyl, aryl, substituted aryl, heteroaryl, and substituted heteroaryl; and

m is 1 or 2; [[and]]

~~prodrugs, tautomers or~~ or a prodrug, tautomer, or a pharmaceutically acceptable salts salt thereof;

with the proviso that the compound of formula V has a minimum inhibition concentration of 32 µg/mL or less against at least one of the organisms selected from the group consisting of *Streptococcus pneumoniae*, *Staphylococcus aureus*, *Staphylococcus epidermidis*, *Enterococcus faecalis*, *Enterococcus faecium*, *Haemophilus influenzae*, *Moraxella catarrhalis*, *Escherichia coli*, *Bacteroides fragilis*, *Bacteroides thetaiotaomicron*, and *Clostridium difficile*.

5. (Original) A compound of claim 1, wherein m is 1 or 2.
6. (Original) A compound of claim 1, wherein R¹ is methyl.
7. (Original) A compound of claim 1, wherein R⁶ is H, alkyl, or hydroxyalkyl.
8. (Previously Presented) A compound of claim 1, wherein each R⁹ is independently alkyl, substituted alkyl, alkoxy, substituted alkoxy, or cycloalkyl.
9. (Previously Presented) A compound selected from the group consisting of:
4-ethyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;
1-methyl-4-propyl-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;
1-methyl-4-propyl-pyrrolidine-2-carboxylic acid [3-cyano-2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;
4-ethyl-piperidine-2-carboxylic acid [2-hydroxy-2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;
1-methyl-4-propyl-pyrrolidine-2-carboxylic acid [2-hydroxyimino-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;
1-methyl-4-propyl-pyrrolidine-2-carboxylic acid [2-methoxyimino-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

5-butyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-pentyl-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3-methyl-butyl)-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-pentyl-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

1-methyl-4-propyl-pyrrolidine-2-carboxylic acid [2,2-difluoro-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-pentyl-pyrrolidine-2-carboxylic acid [2,2-difluoro-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-[3-(4-fluoro-phenyl)-propyl]-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3,3-difluoro-propyl)-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-[3-(4-chloro-phenyl)-propyl]-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(2,2-difluoro-pentyl)-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-propyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

1-(2-hydroxy-ethyl)-4-pentyl-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

1-(2-hydroxy-propyl)-4-pentyl-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

1-(3-hydroxy-propyl)-4-pentyl-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

1-(2-hydroxy-ethyl)-4-(3-methyl-butyl)-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3,3-difluoro-propyl)-1-(2-hydroxy-ethyl)-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

1-(2-hydroxy-ethyl)-4-pentyl-pyrrolidine-2-carboxylic acid [2,2-difluoro-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-pentyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-Methoxy-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(1-ethyl-propyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-isopropyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-butyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-cyclohexyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-ethyl-1-(2-hydroxy-ethyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

1-(2-hydroxy-ethyl)-4-pentyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

1-(2-hydroxy-ethyl)-4-propyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(4,4-difluoro-pentyl)-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3,3-difluoro-butyl)-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3,3-difluoro-pentyl)-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3,3-difluoro-pentyl)-1-(2-hydroxy-ethyl)-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3,3-difluoro-propyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(4,4-difluoro-butyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide

4-(5,5-difluoro-pentyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(5-fluoro-pentyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(4-fluoro-butyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3-ethyl-3-hydroxy-pentyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-butoxy-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-pentyloxy-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(4-fluoro-butoxy)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-butyl-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-allyl]-amide;

1,4-diethyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3-fluoro-propoxy)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3,3,3-trifluoro-propoxy)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-isobutyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-propyl-piperidine-2-carboxylic acid [2,2-difluoro-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-fluoro-4-propyl-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-butyl-4-fluoro-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(2-methoxyethoxy)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-Butyl-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(4,4-Difluoro-pentyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3-Fluoro-propyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-Fluoro-4-propyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(2-Fluoroethoxy)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(2-Cyclopropyl-ethyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-Cyclopropylmethyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(2-Cyclobutyl-ethyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-Cyclobutylmethyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

3-Butyl-azetidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

3-Cyclopropylmethyl-azetidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

3-Propyl-azetidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

3-Butyl-1-(2-hydroxy-ethyl)-azetidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

3-Pentyl-azetidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

3-(3-Methyl-butyl)-azetidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

3-(3-Cyclobutyl-propyl)-azetidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

3-(2-Cyclobutyl-ethyl)-azetidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

3-(2-Cyclopropyl-ethyl)-azetidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

3-(3-Cyclopropyl-propyl)-azetidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

3-Butyl-1-methyl-azetidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-Cyclopropylmethyl-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(2-Cyclobutyl-ethyl)-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(2-Cyclopropyl-ethyl)-pyrrolidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

5-Propyl-azepane-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-butyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3-Cyclopentyl-propyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3-Methoxy-propyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3-Ethoxy-propyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3-Propoxy-propyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3-Cyclopropylmethoxy-propyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-[3-(2-Fluoro-ethoxy)-propyl]-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-[3-(3-Fluoro-propoxy)-propyl]-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(4-Methoxy-butyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-Propoxymethyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(3-Fluoro-propoxymethyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-Cyclohexylmethyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-(2-Propyloxyethyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-Cyclopropylmethoxy-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-Fluoro-4-butyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-Fluoro-4-ethyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-Fluoro-4-(3-fluoropropyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-Fluoro-4-(3,3-difluoropropyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

4-Fluoro-4-(2,2-difluoroethoxymethyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;

and prodrugs, tautomers or pharmaceutically acceptable salts thereof.

10. (Previously Presented) A compound selected from the group consisting of:
- 2-[2-Methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propylcarbamoyl]-4-propyl-piperidine-1-carboxylic acid 9*H*-fluoren-9-ylmethyl ester;
- 2-[2-Methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propylcarbamoyl]-4-propyl-piperidine-1-carboxylic acid ethyl ester;
- 2-[2-Methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propylcarbamoyl]-4-propyl-piperidine-1-carboxylic acid phenyl ester;
- Phosphoric acid mono-(4,5-dihydroxy-6-{2-methyl-1-[(4-propyl-piperidine-2-carbonyl)-amino]-propyl}-2-methylsulfanyl-tetrahydro-pyran-3-yl) ester;
- Succinic acid mono-(4,5-dihydroxy-6-{2-methyl-1-[(4-propyl-piperidine-2-carbonyl)-amino]-propyl}-2-methylsulfanyl-tetrahydro-pyran-3-yl) ester;
- N*-(2-Morpholin-4-yl-ethyl)-succinamic acid 4,5-dihydroxy-6-{2-methyl-1-[(4-propyl-piperidine-2-carbonyl)-amino]-propyl}-2-methylsulfanyl-tetrahydro-pyran-3-yl ester;
- Dimethylamino-acetic acid 4,5-dihydroxy-6-{2-methyl-1-[(4-propyl-piperidine-2-carbonyl)-amino]-propyl}-2-methylsulfanyl-tetrahydro-pyran-3-yl ester;
- 1-(5-Methyl-2-oxo-[1,3]dioxol-4-ylmethyl)-4-propyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;
- 2-[2-Methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propylcarbamoyl]-4-propyl-piperidine-1-carboxylic acid 5-methyl-2-oxo-[1,3]dioxol-4-ylmethyl ester;
- Hexadecanoic acid 4,5-dihydroxy-6-{2-methyl-1-[(4-propyl-piperidine-2-carbonyl)-amino]-propyl}-2-methylsulfanyl-tetrahydro-pyran-3-yl ester;
- 1-(1-Methyl-3-oxo-but-1-enyl)-4-propyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;
- 2-[2-Methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propylcarbamoyl]-4-propyl-piperidine-1-carboxylic acid 1-acetoxy-ethyl ester;

2-[2-Methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propylcarbamoyl]-4-propyl-piperidine-1-carboxylic acid 2-amino-3-methyl-pentanoyloxymethyl ester;
2-[2-Methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propylcarbamoyl]-4-propyl-piperidine-1-carboxylic acid piperidine-4-carbonyloxymethyl ester;
1-(Propionylamino-methyl)-4-propyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;
N-{2-[2-Methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propylcarbamoyl]-4-propyl-piperidin-1-ylmethyl}-nicotinamide;
1-(2-Amino-propionyl)-4-propyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;
1-(2-Amino-3-phenyl-propionyl)-4-propyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;
1-(2-Amino-3-methyl-pentanoyl)-4-propyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;
1-(2-Amino-3-methyl-butyryl)-4-propyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;
1-(1-Methyl-1,4-dihydro-pyridine-3-carbonyl)-4-propyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide;
2-[2-Methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propylcarbamoyl]-4-propyl-piperidine-1-carboxylic acid 1-methyl-1,2,3,6-tetrahydro-pyridin-4-yl ester;
and tautomers or pharmaceutically acceptable salts thereof.

11. (Canceled)

12. (Previously Presented) A compound according to claim 9,
wherein the compound is:
4-butyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide ~~and prodrugs, tautomers or pharmaceutically acceptable salts or a~~
prodrug, tautomer, or a pharmaceutically acceptable salt thereof.

13. (Currently Amended): A compound according to claim 9, wherein the compound is:
4-Fluoro-4-propyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide ~~and prodrugs, tautomers or~~ or a prodrug, tautomer, or a pharmaceutically acceptable salts salt thereof.

14. (Currently Amended) A compound according to claim 9, wherein the compound is:
4-(2-Cyclopropyl-ethyl)-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide ~~and prodrugs, tautomers or~~ or a prodrug, tautomer, or a pharmaceutically acceptable salts salt thereof.

15. (Currently Amended) A compound according to claim 9, wherein the compound is:
4-Cyclopropylmethyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide ~~and prodrugs, tautomers or~~ or a prodrug, tautomer, or a pharmaceutically acceptable salts salt thereof.

16. (Currently Amended) A compound according to claim 9, wherein the compound is:
5-Propyl-azepane-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide ~~and prodrugs, tautomers or~~ or a prodrug, tautomer, or a pharmaceutically acceptable salts salt thereof.

17. (Currently Amended) A compound according to claim 10, wherein the compound is:
Phosphoric acid mono-(4,5-dihydroxy-6-{2-methyl-1-[(4-propyl-piperidine-2-carbonyl)-amino]-propyl}-2-methylsulfanyl-tetrahydro-pyran-3-yl) ester ~~and tautomers or~~ or a tautomer or a pharmaceutically acceptable salt ~~salts~~ thereof.

18. (Currently Amended) A compound according to claim 10, wherein the compound is:
1-(5-Methyl-2-oxo-[1,3]dioxol-4-ylmethyl)-4-propyl-piperidine-2-carboxylic acid [2-methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propyl]-amide ~~and tautomers or~~ or a tautomer or a pharmaceutically acceptable salts salt thereof.

19. (Currently Amended) A compound according to claim 10, wherein the compound is:
2-[2-Methyl-1-(3,4,5-trihydroxy-6-methylsulfanyl-tetrahydro-pyran-2-yl)-propylcarbamoyl]-4-propyl-piperidine-1-carboxylic acid 5-methyl-2-oxo-[1,3]dioxol-4-ylmethyl ester ~~and tautomers or~~ or a tautomer or a pharmaceutically acceptable salts salt thereof.


20. (Previously Presented) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound of claim 1.

21. (Currently Amended) A method for the treatment of a bacterial ~~microbial~~ infection in a mammal comprising administering to the mammal a therapeutically effective amount of a compound of claim 1.

22. (Previously Presented) The method according to claim 21, wherein the compound is administered to the mammal orally, parenterally, transdermally, topically, rectally, or intranasally in a pharmaceutical composition.

23. (Previously Presented) The method according to claim 21, wherein the compound is administered in an amount of from about 0.1 to about 100 mg/kg of body weight/day.

24. (Currently Amended) A compound of formula (IV):



R^1 is alkyl;

R^2 and R^3 are independently H, alkyl, hydroxy, fluoro, or cyanoalkyl or one of R^2 and R^3 is $=NOR^7$ and the other is absent, or one of R^2 and R^3 is $=CH_2$ and the other is absent, with the provisos that both R^2 and R^3 are not H; when one of R^2 and R^3 is fluoro, the other is not hydrogen or hydroxy; and when one of R^2 and R^3 is hydroxy, the other is not fluoro, hydrogen, or hydroxy;

R^6 is selected from the group consisting of hydrogen; 1-(acetyloxy)-ethyl-oxycarbonyl; 1-amino-2-methyl-butyl-carbonyl; 1-amino-2-methyl-butyl-carbonyl-oxy-methyl-oxycarbonyl; 1-amino-2-methyl-propyl-carbonyl; 1-amino-2-phenyl-ethyl-carbonyl; 1-amino-ethyl-carbonyl; 1-methyl-1,2,3,6 tetrahydro-pyridin-4-yl-oxycarbonyl; 1-methyl-1,4 dihydro-pyridin-3-yl-carbonyl; 1-methyl-3-oxo-but-1-enyl; 5-methyl-[1,3]dioxol-2-one-4-yl-methoxy-carbonyl; 5-methyl-[1,3]dioxol-2-one-4-yl-methyl; ethoxy-carbonyl; ethyl-carbonylamino-methyl; fluorenyl-methylene-oxy-carbonyl; phenoxy-carbonyl; piperidin-4-yl-carbonyl-oxy-methyl-oxycarbonyl; and pyridine-3-yl-carbonylamino-methyl;

R^7 is H or alkyl;

R^9 , which can be singly or multiply substituted in the ring on the same or different carbons, is independently selected from the group consisting of alkyl, substituted alkyl, alkoxy, substituted alkoxy, alkoxyalkoxy, cycloalkyl, substituted cycloalkyl, ~~substituted oxygen, substituted nitrogen, -OR^d, -NR^eR^f~~, halogen, phenyl, substituted phenyl, $-(CH_2)_n-OH$, $-(CH_2)_n-NR^4R^5$, -alkylene- R^a where R^a is selected


from monofluorophenyl and monochlorophenyl, and branched chain isomers thereof thereof, wherein n is an integer of from 1 to 8 inclusive and R⁴ and R⁵ are H or alkyl, wherein R^d is selected from the group consisting of alkyl, haloalkyl, alkenyl, cycloalkyl, substituted cycloalkyl, aryl, substituted aryl, heteroaryl, and substituted heteroaryl, and wherein R^e and R^f are independently selected from the group consisting of H, alkyl, haloalkyl, alkenyl, cycloalkyl, substituted cycloalkyl, aryl, substituted aryl, heteroaryl, and substituted heteroaryl;

R¹¹ is selected from the group consisting of hydrogen; 2-(N-(2-morpholin-4-yl-ethyl)-amino-carbonyl)-ethyl-carbonyl; -C(O)CH₂CH₂COOH; N,N-dimethyl-amino-methyl-carbonyl; pentadecyl-carbonyloxy; and -PO₃H₂;

m is 0, 1, 2 or 3; [[and]]

~~prodrugs, tautomers or~~ or a prodrug, tautomer, or a pharmaceutically acceptable salts salt thereof; with the proviso that the compound of formula IV has a minimum inhibition concentration of 32 µg/mL or less against at least one of the organisms selected from the group consisting of Streptococcus pneumoniae, Staphylococcus aureus, Staphylococcus epidermidis, Enterococcus faecalis, Enterococcus faecium, Haemophilus influenzae, Moraxella catarrhalis, Escherichia coli, Bacteroides fragilis, Bacteroides thetaiotaomicron, and Clostridium difficile.

25. (Previously Presented) A compound of the structure:



~~and prodrugs, tautomers or~~ or a prodrug, tautomer, or a pharmaceutically acceptable salts salt thereof.

26. (Previously Presented) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound of claim 25.

27. (Currently Amended) A method for the treatment of a bacterial ~~microbial~~ infection in a mammal comprising administering to the mammal a therapeutically effective amount of a compound of claim 25.

28. (Previously Presented) The method according to claim 27, wherein the compound is administered to the mammal orally, parenterally, transdermally, topically, rectally, or intranasally in a pharmaceutical composition.

29. (Previously Presented) The method according to claim 27, wherein the compound is administered in an amount of from about 0.1 to about 100 mg/kg of body weight/day.

30. (New) A compound of the formula:

